

SC-7880 test recording

sendPasswordlessCode ->ok

The screenshot shows a REST client interface with the following details:

- URL:** `https://api-dev6.gradual.dev/graphql`
- Method:** `POST`
- Body:** A GraphQL mutation:

```
1 mutation {
2   sendPasswordlessCode(
3     tenantSlug: "elc"
4     email: "celine+test2@gradual.com"
5     application: gradualApp
6   )
7 }
8
```
- GraphQL VARIABLES:** An empty field.
- Response:** A JSON object in Pretty view:

```
1 {
2   "errors": [
3     {
4       "message": "Your account has been blocked.",
5       "statusCode": 400
6     }
7   ],
8   "data": {
9     "sendPasswordlessCode": null
10  }
11 }
```

A purple arrow points to the error message in the response.
- Status:** 200 OK, 827 ms, 1.14 KB
- Footer:** Postbot, Runner, Start Proxy, Cookies, Vault, Trash

sendTenantAdminPasswordlessCode ->ok

POST

https://api-dev6.gradual.dev/graphql

Send

Params Authorization Headers (9) Body Scripts Settings

Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☒ GraphQL Auto Fetch ↕ ⚠

QUERY

```
1 mutation SendPasswordlessCode($email: String!,  
  $application: PasswordlessTokenApplicationEnumInput!){  
2   sendTenantAdminPasswordlessCode(email: $email,  
    application: $application)  
3 }
```

GRAPHQL VARIABLES ⓘ

```
1 {  
2   "email": "celine+test2@gradual.  
    com",  
3   "application": "tenantDashboard"  
4 }
```

Body Cookies Headers (24) Test Results

200 OK 896 ms 1.15 KB Save as example ⋮

Pretty

Raw

Preview

Visualize

JSON



```
1 {  
2   "errors": [  
3     {  
4       "message": "Your account has been blocked.",  
5       "statusCode": 400  
6     }  
7   ],  
8   "data": {  
9     "sendTenantAdminPasswordlessCode": null  
10  }  
11 }
```

Postbot

Runner

Start Proxy

Cookies

Vault

Trash

sendPasswordlessToken ->ok,(login with email on gradual side)

createAbyTokenRequest ->ok

POST https://api-dev6.gradual.dev/graphql

Send

Params Authorization Headers (9) Body Scripts Settings

Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☒ GraphQL Auto Fetch

QUERY

```
1 mutation CreateAbyTokenRequest($clientId: String) {  
2   tokenRequest: createAbyTokenRequest(clientId: $clientId) {  
3     capability  
4     clientId  
5     keyName  
6     nonce  
7     timestamp  
8     ttl  
9     mac  
10  }  
11 }
```

GRAPHQL VARIABLES

```
1 {  
2   "clientId": "662753832944166b71b893af"  
3 }
```

Body Cookies Headers (24) Test Results

Status: 200 OK Time: 826 ms Size: 1.15 KB Save as example

Pretty Raw Preview Visualize JSON

```
1 {  
2   "errors": [  
3     {  
4       "message": "Your account has been blocked.",  
5       "statusCode": 400  
6     }  
7   ],  
8   "data": {  
9     "tokenRequest": null  
10  }  
11 }
```

resendReceipt -> ok

POST

<https://api-dev6.gradual.dev/graphql>

Send

Params Authorization Headers (9) Body ● Scripts Settings

Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☒ GraphQL Auto Fetch ↕ ⚠

QUERY

```
1 mutation resendReceiptMutation($email: String!,  
  $attendeeId: String!) {  
2   resendReceipt(email: $email, attendeeId: $attendeeId)  
3 }
```

GRAPHQL VARIABLES ⓘ

```
1 {  
2   "email": "celine+test2@gradual.  
  com",  
3   "attendeeId":  
  "606eb6ebe523fce9332d412b"  
4 }
```

Body Cookies Headers (24) Test Results

🌐 200 OK 807 ms 1.13 KB 📄 Save as example ⋮

Pretty

Raw

Preview

Visualize

JSON ▾



```
1 {  
2   "errors": [  
3     {  
4       "message": "Your account has been blocked.",  
5       "statusCode": 400  
6     }  
7   ],  
8   "data": {  
9     "resendReceipt": null  
10  }  
11 }
```

Postbot

Runner

Start Proxy

Cookies

Vault

Trash

eventGuestRegistration ->ok(comment:this api verified Meetupid first)

POST https://api-dev6.gradual.dev/graphql

Send

Params Authorization Headers (9) Body Scripts Settings

Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☒ GraphQL Auto Fetch

QUERY

```
1 mutation GuestRegistration($data: EventGuestRegistrationInput!) {
2   registration: eventGuestRegistration(data: $data) {
3     ...EventGuestRegistrationResult
4   }
5 }
6
7 fragment EventGuestRegistrationResult on EventGuestRegistrationResult {
8   orderId
9   paymentTime
10  originalPrice
11  discount
12  amount
13  paymentMethod
14  metadata
15 }
```

GRAPHQL VARIABLES

```
1 {
2   "data": {
3     "meetupId": "xxx",
4     "guestInfo": {
5       "email": "celine+test2@gradual.com",
6       "firstName": "augus",
7       "company": "ELC",
8       "position": "QA"
9     }
10  }
11 }
```

Body Cookies Headers (24) Test Results

Status: 200 OK Time: 999 ms Size: 1.14 KB Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "errors": [
3     {
4       "message": "Oops something went wrong.",
5       "statusCode": 500
6     }
7   ],
8   "data": {
9     "registration": null
10  }
11 }
```

SC-7880-API test / <https://api-dev6.gradual.dev/graphql> Save Share

POST <https://api-dev6.gradual.dev/graphql> Send

Params Authorization Headers (9) **Body** Scripts Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☒ GraphQL Auto Fetch

QUERY

```
1 mutation GuestRegistration($data:
  EventGuestRegistrationInput!) {
2   registration: eventGuestRegistration(data: $data) {
3     ...EventGuestRegistrationResult
4   }
5 }
6
7 fragment EventGuestRegistrationResult on
  EventGuestRegistrationResult {
8   orderId
9   paymentTime
10  originalPrice
11  discount
```

GRAPHQL VARIABLES

```
3   "meetupId":
4     "66ac1d385fbe5930eb1da5
5     18",
6   "guestInfo": {
7     "email": "celine
8       +test2@gradual.
9       com",
10    "firstName": "augus",
11    "company": "ELC",
12    "position": "QA"
13  }
```

Body Cookies Headers (24) Test Results 200 OK 860 ms 1.13 KB Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "errors": [
3     {
4       "message": "Your account has been blocked.",
5       "statusCode": 400
6     }
7   ],
8   "data": {
9     "registration": null
```

dotComEventGuestRegistration ->ok(comment:this api verified Meetupid first)

HTTP SC-7880-API test / <https://api-dev6.gradual.dev/graphql> Save Share

POST ▼ <https://api-dev6.gradual.dev/graphql> Send ▼

Params Authorization Headers (9) **Body** ● Scripts Settings Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☒ GraphQL Auto Fetch ▼ ⚠

QUERY

```
1 mutation DotComEventGuestRegistration($data:
  EventGuestRegistrationInput!) {
2   registration: dotComEventGuestRegistration(data: $data) {
3     email
4   }
5 }
6
```


GRAPHQL VARIABLES ⓘ

```
1 {
2   "data": {
3     "meetupId": "xxx",
4     "guestInfo": {
5       "email": "celine
6         +test2@gradual.com",
7       "firstName": "augus",
8       "company": "ELC",
9       "position": "QA"
10    }
11  }
12 }
```

Body Cookies Headers (24) Test Results 200 OK 787 ms 1.13 KB Save as example ⋮

Pretty Raw Preview Visualize JSON ▼ ⌵

```
1 {
2   "errors": [
3     {
4       "message": "Oops something went wrong.",
5       "statusCode": 500
6     }
7   ],
8   "data": {
9     "registration": null
10  }
11 }
```



Postbot Runner Start Proxy Cookies Vault Trash

eventGuestRegistrationFromEmail ->ok(comment:this api verified Meetupid first)

POST

<https://api-dev6.gradual.dev/graphql>

Send

Params Authorization Headers (9) **Body** Scripts Settings

Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☒ GraphQL **Auto Fetch**

QUERY

```
1 mutation GuestRegistrationFromEmail($data:
  EventGuestRegistrationFromEmailInput!) {
2   registration: eventGuestRegistrationFromEmail(data:
    $data) {
3     ...EventGuestRegistrationResult
4   }
5 }
6
7 fragment EventGuestRegistrationResult on
  EventGuestRegistrationResult {
8   orderId
```

GRAPHQL VARIABLES

```
1 {
2   "data": {
3     "meetupId": "xxx",
4     "email": "celine+test2@gradual.
      com"
5   }
6 }
```

Body Cookies Headers (24) Test Results

200 OK 824 ms 1.13 KB Save as example

Pretty

Raw

Preview

Visualize

JSON



```
1 {
2   "errors": [
3     {
4       "message": "Oops something went wrong.",
5       "statusCode": 500
6     }
7   ],
8   "data": {
9     "registration": null
10  }
11 }
```


POST

<https://api-dev6.gradual.dev/graphql>

Send

Params Authorization Headers (9) **Body** Scripts Settings

Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☒ GraphQL **Auto Fetch**

QUERY

```
1 mutation GuestRegistrationFromEmail($data:
2   EventGuestRegistrationFromEmailInput!) {
3   registration: eventGuestRegistrationFromEmail(data:
4     $data) {
5     ...EventGuestRegistrationResult
6   }
7 }
8
9 fragment EventGuestRegistrationResult on
10 EventGuestRegistrationResult {
11   orderId
```

GRAPHQL VARIABLES ⓘ

```
1 {
2   "data": {
3     "meetupId":
4       "66ac445c5fbe5930eb1db7c2",
5     "email": "celine+test2@gradual.
6       com"
```

Body Cookies Headers (24) Test Results

200 OK 836 ms 1.14 KB Save as example

Pretty

Raw

Preview

Visualize

JSON

```
1 {
2   "errors": [
3     {
4       "message": "Your account has been blocked.",
5       "statusCode": 400
6     }
7   ],
8   "data": {
9     "registration": null
10  }
11 }
```

Postbot Runner Start Proxy Cookies Vault Trash

loginWithRSVP ->ok

POST

<https://api-dev6.gradual.dev/graphql>

Send

Params Authorization Headers (9) Body Scripts Settings

Cookies

☐ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☒ GraphQL Auto Fetch

QUERY

```
1 query loginWithRSVP (
2   $email: String!
3   $meetupId: String!
4 ) {
5   loginWithRSVP(
6     email: $email,
7     meetupId: $meetupId
8   )
9 }
```

GRAPHQL VARIABLES

```
1 {
2   "meetupId": "xxx",
3   "email": "celine+test2@gradual.
4   com"
```

Body Cookies Headers (24) Test Results

200 OK 841 ms 1.13 KB Save as example

Pretty

Raw

Preview

Visualize


JSON

```
1 {
2   "errors": [
3     {
4       "message": "Your account has been blocked.",
5       "statusCode": 400
6     }
7   ],
8   "data": {
9     "loginWithRSVP": null
10  }
11 }
```

tenantUserSignIn ->ok (login with email on gradual side)

The screenshot shows a web browser with the URL <https://elc.dev6.gradual.dev/login?returnTo=https%3A%2F%2Felc.dev6.gradual.dev%2Fhome>. The page displays the ELC logo and a sign-in form with the email `celine+test2@gradual.com`. A message at the bottom of the form states "Your account has been blocked." A network inspector on the right shows a GraphQL request and response. The response contains an error: `{errors: [{message: "Your account has been blocked.", statusCode: 400}]}`. A purple arrow points from the error message in the response to the "Your account has been blocked." message on the login page.

tenantUserActivate ->ok



tenantUserSocialLogin
tenantUserSSOLogin
tenantUserPasswordlessCodeLogin ->ok

SC-7880-API test / https://api-dev6.gradual.dev/graphql

SaveShare

POSThttps://api-dev6.gradual.dev/graphql

Send

ParamsAuthorizationHeaders (9)BodyScriptsSettings

noneform-datax-www-form-urlencodedrawbinaryGraphQLAuto Fetch

QUERY

```
1 mutation PasswordlessCodeLogin(  
2   $tenantSlug: String!,  
3   $email: String!,  
4   $code: String!,  
5   $application: PasswordlessTokenApplicationEnumInput!,  
6   $userTrafficData: UserTrafficDataInput,  
7 ){  
8   result: tenantUserPasswordlessCodeLogin(  
9     tenantSlug: $tenantSlug,  
10    email: $email,  
11  )  
}
```

GRAPHQL VARIABLES

```
1 {  
2   "tenantSlug": "elc",  
3   "code": "1234",  
4   "email": "celine+test2@gradual.  
5     com",  
6   "application": "tenantDashboard"
```

BodyCookiesHeaders (24)Test Results

200 OK828 ms1.13 KBSave as example

PrettyRawPreviewVisualizeJSON

```
1 {  
2   "errors": [  
3     {  
4       "message": "Your account has been blocked.",  
5       "statusCode": 400  
6     }  
7   ],  
8   "data": {  
9     "result": null  
10  }  
11 }
```

PostbotRunnerStart ProxyCookiesVaultTrash